

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/623,993	MULLER, FRANK
	Examiner	Art Unit

Tuan N. Nguyen 3751

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the application filed 7/21/03.
2.  The allowed claim(s) is/are 1-7.
3.  The drawings filed on 21 July 2003 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. 10/114,203.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

5.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
  - (a)  The translation of the foreign language provisional application has been received.
6.  Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

7.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1)  hereto or 2)  to Paper No. \_\_\_\_\_.
  - (b)  including changes required by the proposed drawing correction filed \_\_\_\_\_, which has been approved by the Examiner.
  - (c)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1 <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	5 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
2 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	6 <input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____.
3 <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____	7 <input checked="" type="checkbox"/> Examiner's Amendment/Comment
4 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance
	9 <input type="checkbox"/> Other

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

On page 1 of the specification,

line 3: "divisional" has been changed to --continuation in part-- since new matters such as new drawings figures 7-10 and their respective description have been added to this application, which were not present in the parent.

On page 9 of the specification,

line 21: "60" has been changed to --34--;  
line 23: "60" has been changed to --68--; and  
line 28: "60" has been changed to --68--.

On page 10 of the specification,

line 1: "60" has been changed to --68--.

### **Reason for Allowance**

2. The following is an examiner's statement of reasons for allowance: none of the prior art of record alone or in combination teaches a substance applying apparatus for applying a substance to an application location as claimed comprising an application element with an applicator being partially received in an inner tube made of soft material, the inner tube is being received in an outer tube; wherein upon application of pressure on the application element would apply pressure on the soft inner tube and therefore causes the bottom thereof to be cut and allows a fluid communication between the inner space of the inner and outer tubes.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### **Conclusion**

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Strauss, Gueret, and Salz et al. are references have been cited in the parent application 10/114,203, which lack the claimed features as indicated above. Sogaro teaches a telescoping ampoule but lacks the claimed features as indicated above. Parkin discloses a swab applicator with pierce inner tube but lacks the claimed features as indicated above.
4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tuan N. Nguyen whose telephone number is 703-306-9046. The examiner can normally be reached on Monday-Friday (10:00-6:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory L. Huson can be reached on 703-308-2580. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-872-9301.

  
Tuan N. Nguyen  
Primary Examiner  
Art Unit 3751  
12/22/03

TN